



Distributed by:

# Floor standing Inverter



Elegant and thin design  
harmonizes with the room

INVERTER

air conditioning

FUJITSU

the silence

# Fujitsu Floor standing Inverter


With its elegant and thin design, Floor Standing Fujitsu are the best solution to harmonize with the room.

As the units are Inverter you will also benefit from the maximum comfort with the best benefits.


## Multiple possibilities of installation

The units can be installed beneath a standard window, against a wall or recessed.


**Beneath standard window**




**Standard concave portion**



**Vall**




## Choice of 6-direction drain and piping connection




## Dual air discharge flow for better air distribution

**Cooling**



**Heating**



## Other benefits:

- Long-life ion deodorization and anti-bacteria filter: neutralise bad smells, and remove small spores, particles and micro organisms
- Reduced noise level indoor unit at SuperQuiet position: 22 dB(A)
- All models are Rank A with the best Energy Efficiency Ratios (model ASY25Ui: EER 4,48 - COP 4,38)



Moisture Removal



Up/Down Swing Flaps



Automatic flaps



Auto shut flaps



Automatic adjustment of the airflow



Automatic restart



Auto-Changeover



Sleep Timer



Program Timer



Weekly timer (wired R.C.)



Long-life Ion deodorization filter



Anti-bacteria filter



Class A



## Technical specifications

MODEL		AGY25Ui	AGY35Ui	AGY40Ui
Cooling Capacity	W	2.600 (900 - 3.500)	3.500 (900 - 4.100)	4.200 (900 - 4.800)
Heating capacity	W	3.500 (900 - 5.200)	4.500 (900 - 6.200)	5.200 (900 - 7.000)
Energy Efficiency Ratio	EER (Cooling)	4,48	3,43	3,41
	COP (Heating)	4,38	3,72	5,2
Power consumption (Cooling/Heating)	kW	0,58 / 0,80	1,02 / 1,21	1,23 / 1,44
Noise level indoor unit	A/SQ dB (A)	40/22	40/22	42/22
Noise level outdoor unit	dB (A)	47	48	50
Dimensions Indoor unit	Width	740	740	740
	Deep	200	200	200
	Height	600	600	600
Dimensions Outdoor unit	Width	790	790	790
	Deep	290	290	290
	Height	540	540	540
Weight (Indoor unit/Outdoor unit)	kg	15 / 36	15 / 36	15 / 40